

EAST

MD

MD

MD

6 pages

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	("6226752" "6460141" "6374356" "6158010" "6092196" "6490624" "6275944" "6339830" "5761309" "6243816" "6408336").pn.	USPAT	OR	ON	2005/02/09 19:58
S2	46	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and (single adj sign\$1on)	US-PGPUB; USPAT	OR	ON	2005/02/09 20:00
S3	85	((709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT	OR	ON	2005/02/09 20:02
S4	27	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT	OR	ON	2005/02/09 20:04
S5	37	((709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expir\$2) with (synchron\$7 or notif\$7))) not ((709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7)))	US-PGPUB; USPAT	OR	ON	2004/06/04 11:04
S6	16	(single adj sign\$1on) and (timeout or expiry) and @ad<"20000602"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 20:06
S8	38	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((user adj profile) with ((access adj level) or privilege or role))	US-PGPUB; USPAT	OR	ON	2005/02/09 20:07
S9	35	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT	OR	ON	2005/02/09 20:26
S10	11	("6226752" "6460141" "6374356" "6158010" "6092196" "6490624" "6275944" "6339830" "5761309" "6243816" "6408336").pn.	USPAT	OR	ON	2005/02/09 18:33

S11	6853	709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602"	US-PGPUB; USPAT	OR	ON	2004/01/29 14:11
S12	43	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and (single adj sign\$1on)	US-PGPUB; USPAT	OR	ON	2005/02/09 18:34
S13	110	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))	US-PGPUB; USPAT	OR	ON	2004/06/04 11:03
S14	80	((709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT	OR	ON	2005/02/09 18:40
S15	6853	709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602"	US-PGPUB; USPAT	OR	ON	2004/01/23 14:34
S16	553	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and (timeout or expiry)	US-PGPUB; USPAT	OR	ON	2004/01/23 14:35
S17	23	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT	OR	ON	2005/02/09 19:37
S18	59	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expir\$2) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT	OR	ON	2004/01/29 14:10
S19	36	((709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expir\$2) with (synchron\$7 or notif\$7))) not ((709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7)))	US-PGPUB; USPAT	OR	ON	2005/02/09 19:44

S20	13	(single adj sign\$1on) and (timeout or expiry) and @ad<"20000602"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:47
S21	10	he-jingsha.in.	USPAT	OR	ON	2005/02/09 19:54
S22	1	("6182142").PN.	USPAT; USOCR	OR	OFF	2004/01/28 15:04
S23	1	("6385614").PN.	USPAT; USOCR	OR	OFF	2004/01/28 15:10
S24	6874	709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602"	US-PGPUB; USPAT	OR	ON	2004/01/28 17:32
S25	35	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((user adj profile) with ((access adj level) or privilege or role))	US-PGPUB; USPAT	OR	ON	2004/06/04 11:20
S26	6874	709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602"	US-PGPUB; USPAT	OR	ON	2004/01/29 14:11
S27	501	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and timeout	US-PGPUB; USPAT	OR	ON	2004/01/29 14:12
S28	32	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT	OR	ON	2005/02/09 19:56
S38	11	("6226752" "6460141" "6374356" "6158010" "6092196" "6490624" "6275944" "6339830" "5761309" "6243816" "6408336").pn.	USPAT	OR	ON	2005/02/09 18:33
S39	49	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and (single adj sign\$1on)	US-PGPUB; USPAT	OR	ON	2005/02/09 18:34
S40	90	((709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT	OR	ON	2005/02/09 18:40
S41	33	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT	OR	ON	2005/02/09 19:37

S42	42	((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))) not ((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7)))	US-PGPUB; USPAT	OR	ON	2005/02/09 19:44
S43	19	(single adj sign\$1on) and (timeout or expiry) and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/09 19:48
S44	11	he-jingsha.in.	US-PGPUB; USPAT	OR	ON	2005/02/09 20:01
S45	37	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT	OR	ON	2005/02/09 19:56
S46	11	("6226752" "6460141" "6374356" "6158010" "6092196" "6490624" "6275944" "6339830" "5761309" "6243816" "6408336").pn.	USPAT	OR	ON	2005/02/09 19:58
S47	49	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and (single adj sign\$1on)	US-PGPUB; USPAT	OR	ON	2005/08/24 14:10
S48	90	((709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT	OR	ON	2005/08/24 14:13
S49	33	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT	OR	ON	2005/08/24 14:39
S50	16	(single adj sign\$1on) and (timeout or expiry) and @ad<"20000602"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:39
S51	39	(709/217,219,225-227,229;713/155,168,200-202.ccls. and @ad<"20000602") and ((user adj profile) with ((access adj level) or privilege or role))	US-PGPUB; USPAT	OR	ON	2005/08/24 14:48

S52	37	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT	OR	ON	2005/08/24 14:48
S56	85	(request with authenticat\$3) and (password with cache\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 20:03
S57	41	S56 and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:51
S58	1	("5689638").PN.	USPAT	OR	OFF	2005/02/09 20:36
S74	98	(request or session) same (timeout with (configur\$3 or set\$3 or adjust\$3 or select\$3) with user\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/13 14:15
S75	55	S74 and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:18
S77	50	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and (single adj sign\$1on)	US-PGPUB; USPAT	OR	ON	2005/08/24 14:10
S78	92	((709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((central\$2 or remote\$2 or global\$2) near2 ((access or secure\$ or authenticat\$3 or authoriz\$5) adj server))) and ((client or user) near3 request)	US-PGPUB; USPAT	OR	ON	2005/08/24 14:13
S79	33	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((timeout or expiry) with (synchron\$7 or notif\$7))	US-PGPUB; USPAT	OR	ON	2005/08/24 14:39
S80	17	(single adj sign\$1on) and (timeout or expiry) and @ad<"20000602"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:46

S81	39	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((user adj profile) with ((access adj level) or privilege or role))	US-PGPUB; USPAT	OR	ON	2005/08/24 14:48
S82	38	(709/217,219,225-227, 229;713/155,168,200-202.ccls. and @ad<"20000602") and ((idle or session) adj timeout)	US-PGPUB; USPAT	OR	ON	2005/08/24 14:48
S83	91	(request with authenticat\$3) and (password with cache\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:51
S84	45	S83 and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 14:51
S85	105	(request or session) same (timeout with (configur\$3 or set\$3 or adjust\$3 or select\$3) with user\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/24 15:18
S86	55	S85 and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:18
S87	199	(password authentication) near2 cache\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:19
S88	99	(password authentication) near2 cache\$1 same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:20
S89	26	S88 and (@ad<"20000602" or @rlad<"20000602")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/24 15:20